## WIFI opsætning WorkAboutPro Pro2 og Pro3 skannere

## Håndskanner typer



## Wifi opsætning



Vælg SCU i Windows dropdown menuen

📃 MyMobiler					×		
File Edit View	Tools						
] 🖩   🚜 🕩 🛍	🖥 🖫 🖷   🔎 🏷	>					
🛃 Summit Client Utility 🛛 👯 📢 ok							
Edit Profile:	uest		<b>•</b>	SDC			
New	Rename	Dele	ete	Scan			
Radio:							
SSID	<b></b>	auest					
Client Nar	ne 📃	5					
Power Sav	ve 🗖						
Tx Power	-						
Encryption	Encryption:			EAP Type:			
WPA2-PS	None 🔻						
WEP keys/PSKs		Credentials					
Save Changes:			Comm	it			
Mair Pro	file Status	Diags	Global				

I fanen Profile trykkes der på knappen Scan

MyMobiler			x
<u>F</u> ile <u>E</u> dit View <u>T</u> ools			
] 🖩   🔏 🗅 🛍   🖥 🖷 🖷   🥥 🏷			
Summit Client Utili	ty	#‡ €€	ok
SSID	RSSI	Secure	
HHF-VLAN	-59	true	
4G-internet	-79	true	
HAVNECAFEEN	-81	true	
tolderstien2	-88	true	
Configure		Refresh	

Vælg det WIFI netværk, der skal tilføjes og tryk på knappen Configure



Tryk på knappen Yes



Indtast password.



Tryk på **OK** 

MyMobiler						
File Edit	View Too	s				
] 🖩   🚜 📭	n   n n	h 🖣   🗩 🏷	,			
ಶ Su	mmit	Client Ut	tility	÷	≵ •€	ok
Edit Profile:	HHF-	VLAN		▼	SD	C
New	R	ename	Dele	ete	Scan	I
Radio:						
SSID			HHF-VLAN			
Client N	lame	=				
Power S	Save					
Tx Pow	er	•				
Encrypt	ion:		EAP Type:			
WPA-PSK 🔻			None 🔻			
WEP keys/PSKs Credentials						
Save Changes: Commit						
Main P	rofile	Status	Diags	Globa	al	

Profilen gemmes ved at trykke på Commit

ĺ	MyMobiler						×	
	File Edi							
	] 🖳   🏑 l	h 🗈   h						
	9 🎜	Summit	t Client U	tility	•••	₹ •€	ok	
	Edit Profile	e: HHF	-VLAN		▼	SDC	•	
	Ne	w	Rename	Dele	ete	Scan		
	Radio	:						
	SSID		<b></b>	HHF-VLAN				
	Client	Name						
	Powe	r Save						
	Tx Po	wer	•					
	Encryption:			EAP Type:				
	WPA-PSK ▼ WEP keys/PSKs Save Changes:			None 🔻				
				Credentials				
					Comm	it		
	Main	Profile	Status	Diags	Global			

Tryk på fanebladet Main

(			1		
MyMobiler			l		
File Edit View Tools					
] 🖩   🔏 🗅 🛍   🖥 🖷	🖫   🔁 🏷	•			
🍠 Summit C	lient U	tility	<b>2</b> :•	<b>€</b> ok	$\triangleright$
	•				
SUM	літ			-	
DATA COMMUNI	CATIONS	Di	sable R	adio	
Active Profile:	HHF-V	LAN			$\triangleright$
	ThirdPo	artyCoi	nfig		
Status:	Defaul	t	-		
Radio Type:	quest				
	HHF-V	LAN			
Reg. Domain:	LIJI				
Auto Profile:	() Or	n 🔘 (	Off	List	
	00	scu.	,2 02 00	) 	
Driver: v3.02.	09	SCU: 1	/3.02.05	1	
		A	bout S	CU	
Main Profile	Status	Diags	Global		

Vælg den nye profil som Active Profile

For at afslutte WIFI opsætningen, skal der trykkes på **OK** i skærmens øverste venstre hjørne. Genstart derefter skanneren

- Pro2: Tryk og hold knapperne FN-Enter-FN nede i ca. 5 sekunder
- Pro3: Tryk og hold knapperne FN-F4-tænd/sluk nede i ca. 5 sekunder



Indtast Brugernavn og Adgangskode og tryk derefter på OK